



Q What is the weight of FilmTec™ elements as delivered?

A The following table indicates the **weight** of new dry elements and drained wet tested elements:

PRODUCT FAMILY	ELEMENT TYPE	FIBERGLASSED (FG), FULLFIT (FF), TAPEWRAPPED	DRY/WET	MEMBRANE AREA (ft ²)	NET WEIGHT (LB)	GROSS WEIGHT (LB)	NET WEIGHT (KG)	GROSS WEIGHT (KG)
All 8"	8040	FG & FF	WET	320 - 370	33.0	40.0	15.0	18.2
	8040	FG & FF	WET	380 - 440	36.0	42.0	16.3	19.1
	8040	FG & FF	DRY	320 - 370	24.0	30.0	10.9	13.6
	8040	FG & FF	DRY	380 - 440	26.0	33.0	11.8	15.0
	6040	FG	WET		21.0	26.0	9.5	11.8

Large & Small Commercial	4641	Fiberglassed	DRY		8.0	10.0	3.6	4.5
	4040	Fiberglassed	WET		8.0	9.0	3.6	4.1
	4040	Fiberglassed	DRY		6.0	7.0	2.7	3.2
	4040	Tapewrapped	WET		7.0	8.0	3.2	3.6
	4040	Tapewrapped	DRY		5.0	6.0	2.3	2.7
	3838-4040	Fullfit	WET		8.0	10.0	3.6	4.5
	3838-4040	Fullfit	DRY		6.0	7.0	2.7	3.2
	2540-3040	Fiberglassed	WET		3.5	3.9	1.6	1.8
	2540-3040	Tapewrapped	WET		2.8	3.2	1.3	1.5
	2540-3040	Fiberglassed	DRY		2.6	3.0	1.2	1.4
	2540-3040	Tapewrapped	DRY		2.1	2.5	1.0	1.1
	4619	Fiberglassed	WET		5.0	5.5	2.2	2.5
	4619	Fiberglassed	DRY		4.0	4.5	1.8	2.0
	4611	Fiberglassed	WET		4.0	5.0	1.8	2.3
	4611	Fiberglassed	DRY		3.0	4.0	1.4	1.8
	4021, 3925, 4118	FG / FF	WET		4.5	5.5	2.0	2.5
	4021, 3925, 4118	Tapewrapped	WET		4.0	5.0	1.8	2.3
	4021, 3925, 4118	Tapewrapped	DRY		3.0	3.0	1.4	1.4
	4014, 3714	Tapewrapped	WET		3.0	4.0	1.4	1.8
	4014, 3714	Tapewrapped	DRY		2.0	3.0	0.9	1.4
	3812	Fullfit	WET		3.0	4.0	1.4	1.8
	3425	Tapewrapped	WET		3.2	3.8	1.5	1.7
	3320	Tapewrapped	WET		3.0	4.0	1.4	1.8
	3320	Tapewrapped	DRY		2.0	3.0	0.9	1.4
	3031	Fiberglassed	WET		4.0	5.0	1.8	2.3
	3021	Fiberglassed	WET		3.0	3.4	1.4	1.5
	3012	Tapewrapped	WET		2.0	2.3	0.9	1.0
	2521, 2526, 2625	Fiberglassed	WET		1.9	2.5	0.9	1.1
	2521, 2526, 2625	Tapewrapped	WET		1.6	2.0	0.7	0.9
	2521, 2526, 2625	Tapewrapped	DRY		1.1	1.5	0.5	0.7
2514, 2614	All	Both		0.8	1.1	0.3	0.5	
2026	Tapewrapped	Both		1.0	1.3	0.5	0.6	

Household	LOW PRESSURE	All	WET		0.7	0.8	0.3	0.4
	LOW PRESSURE	All	DRY		0.5	0.6	0.2	0.3
	1713	Fiberglassed	WET		0.8	0.9	0.4	0.4
	1006	Fiberglassed	WET		0.3	0.3	0.1	0.1
Membrane	Sheet	Boxed Rolls	DRY	6000	0.022	0.024	0.010	0.011

*Gross **weight**=Element **weight** + Package **weight**

Weight of an element can be an indicator for fouling: heavily fouled elements may have up to the double **weight**.

© 2021 DuPont. DuPont™, the DuPont Oval Logo, and all trademarks and service marks denoted with ™, SM or ® are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted.